



Model Parameterization in ANSA




Dirk Dreißig Mail: ansa@lasso.de





Types of Parameterization

Shape modification






Types of Parameterization

- Shape modification
 - → Morphing
- Modification of entity card values
 (e.g. property thickness, used material,

connection properties)


→ ANSA Parameter





Types of Parameterization

- Shape modification
 - → Morphing
- Modification of entity card values (e.g. property thickness, used material, connection properties)
 - → ANSA Parameter
- Anything else (e.g. Mesh Studies, Kinetics)
 - → Scripting






Morphing

- Applicable on FE- and Geometry
- Two main methods:


Box Morphing






Morphing

- Applicable on FE- and Geometry
- Two main methods:
 - Box Morphing
 - Direct Morphing





Types of boxes




- 3D
 - Hexa
 - Penta
 - Tetra
 - Pyramid
 - Cylindrical
- 2D (specific thickness)
- 1D (specific diameter)



How to create?

Around geometry / mesh






How to create?

Around geometry / mesh

Offset on existing boxes






How to create?

Around geometry / mesh

Offset on existing boxes






How to create?

Around geometry / mesh

Offset on existing boxes


Split + Fit (edges or surfaces)





How to create?

- Around geometry / mesh
- Offset on existing boxes
- Split + Fit (edges or surfaces)
- Sweep / Glide






How to create?

Around geometry / mesh

Offset on existing boxes


- Split + Fit (edges or surfaces)
- Sweep / Glide
- Wrap

• ...






- Move (Translate, Rotate)
- Slide / Extend






- Move (Translate, Rotate)
- Slide / Extend
- Angle






- Move (Translate, Rotate)
- Slide / Extend
- Angle
- Fit (edges, surfaces)






- Move (Translate, Rotate)
- Slide / Extend
- Angle
- Fit (edges, surfaces)
- Radius
- ...





Linked Morphing Boxes


- Utilize model symmetry
- Link according symmetry-/mirror plane





Linked Morphing Boxes

- Utilize model symmetry
- Link according symmetry-/mirror plane, translation vector






Linked Morphing Boxes

Utilize model symmetry

• Link according symmetry-/mirror plane, translation vector or

rotation axis






Box in Box

Separate groups of boxes handle different features

Global and local modifications without

excessive splits of boxes






Box in Box

Separate groups of boxes handle different features

Global and local modifications without

excessive splits of boxes

Global: B-pillar position





Box in Box

- Separate groups of boxes handle different features
- Global and local modifications without excessive splits of boxes

• Global: B-pillar position

• Local: cross member width




Box in Box

Separate groups of boxes handle different features

Global and local modifications without

excessive splits of boxes





Box in Box

Separate groups of boxes handle different features

Global and local modifications without

excessive splits of boxes

Global morphing





Box in Box

Separate groups of boxes handle different features

Global and local modifications without

excessive splits of boxes

Global morphing


Local morphing






Coupled with Kinetics

 Morph Control Points added to Kinetic Rigid Bodies









Coupled with Kinetics

 Morph Control Points added to Kinetic Rigid Bodies

Morphing controlled by movement of

Rigid Bodies









Coupled with Kinetics

 Morph Control Points added to Kinetic Rigid Bodies

Morphing controlled by movement of

Rigid Bodies









Box Morphing Recording History








Re-use of boxes and parameters for multiple similar models






Translate, <u>rotate</u> or scale <u>FE-mesh</u> or Geometry entities



Direct Morphing►			
DFM	Holes-Tubes	•	Desig
Create >	Constraints	•	Ha
Bend	Modeling	•	Sc



Translate, <u>rotate</u> or scale <u>FE-mesh</u> or Geometry entities




Direct Morphing►			
DFM	Holes-Tubes	•	Desig
Create •	Constraints	•	Ha
Bend	Modeling	►	Sc

Control Entities



Translate, <u>rotate</u> or scale <u>FE-mesh</u> or Geometry entities




Direct Morphing►			
DFM	Holes-Tubes	•	Desig
Create >	Constraints	•	Ha
Bend	Modeling	•	Sc

- Control Entities
- Morphed Entities
- Boundary



Translate, <u>rotate</u> or scale <u>FE-mesh</u> or Geometry entities




Direct Morphing►			
DFM	Holes-Tubes	•	Desig
Create •	Constraints	•	Ha
Bend	Modeling	►	Sc

- Control Entities
- Morphed Entities
- Boundary
- Morphing




Snap **FE** or geometry edges to **single** or multiple target curves






Snap **FE** or geometry edges to **single** or multiple target curves




Origin






- Origin
- Target






- Origin
- Target
- Morphed Entities
- Boundary






- Origin
- Target
- Morphed Entities
- Boundary
- Morphing






- Origin
- Target
- Morphed Entities
- Boundary
- Morphing
- Reconstruct of morphed area










- Origin
- Target
- Morphed Entities
- Boundary






- Origin
- Target
- Morphed Entities
- Boundary
- Morphing




Sweep / Glide along pre-defined curves






Sweep / Glide along pre-defined curves






Surface Fit of **initial FE** or geometry onto **target** FE or **geometry**



 Initial FE-surface (with additional underlying parts)




Surface Fit of **initial FE** or geometry onto **target** FE or **geometry**



- Initial FE-surface (with additional underlying parts)
- Target CAD-surface



Surface Fit of **initial FE** or geometry onto **target** FE or **geometry**



- Initial FE-surface (with additional underlying parts)
- Target CAD-surface
- Morphing




Surface Fit of **initial FE** or geometry onto **target FE** or geometry



Initial FE-surface




Surface Fit of **initial FE** or geometry onto **target FE** or geometry



- Initial FE-surface
- Target FE-surface



Surface Fit of **initial FE** or geometry onto **target FE** or geometry




- Initial FE-surface
- Target FE-surface
- Morphing



Cross Sections

Fit cross sections (applicable on FE-mesh and geometry)




Original cross section



Cross Sections

Fit cross sections (applicable on FE-mesh and geometry)




- Original cross section
- Target cross section




Cross Sections

Fit cross sections (applicable on FE-mesh and geometry)




- Original cross section
- Target cross section
- Morphing































































Generation & modification of beads and embosses

Curved & Rounded Beads









Generation & modification of beads and embosses

Curved & Rounded Beads

Circular Flanged Openings









Generation & modification of beads and embosses

Curved & Rounded Beads

Circular Flanged Openings

Shell or Solid Ribs









Design Change: Feature Slide/Copy

- Features of any shape (e.g. holes, beads, ribs) can be moved or copied on underlying surface
- Mesh of origin and target areas is reconstructed








Design Change: Position

Movement of members on their underlying surface

 Flanges and sidewalls are adapted on target position






Direct Morphing

Design Change: Position

• Movement of members on their underlying surface

 Flanges and sidewalls are adapted on target position









Direct Morphing Bend

Bend parts by maintaining their cross-section


Direct Morphing►			
DFM	Holes-Tubes	•	Desig
Create >	Constraints	•	Ha
Bend	Modeling	•	Sc









- Nested Elements for Box and Direct Morphing
- DFM Constraints (e.g. Planar, Rigid, Flange, Path Follower)
- Freeze, rigidize, constrain feature-movement during morphing








- Nested Elements for Box and Direct Morphing
- DFM Constraints (e.g. Planar, Rigid, Flange, Path Follower)
- Freeze, rigidize, constrain feature-movement during morphing






- Nested Elements for Box and Direct Morphing
- DFM Constraints (e.g. Planar, Rigid, Flange, Path Follower)
- Freeze, rigidize, constrain feature-movement during morphing








- Nested Elements for Box and Direct Morphing
- DFM Constraints (e.g. Planar, Rigid, Flange, Path Follower)
- Freeze, rigidize, constrain feature-movement during morphing




With Path Follower Constraint




Without Constraint



- Nested Elements for Box and Direct Morphing
- DFM Constraints (e.g. Planar, Rigid, Flange, Path Follower)
- Freeze, rigidize, constrain feature-movement during morphing




With Path Follower Constraint



Without Constraint




- Nested Elements for Box and Direct Morphing
- DFM Constraints (e.g. Planar, Rigid, Flange, Path Follower)
- Freeze, rigidize, constrain feature-movement during morphing






- Nested Elements for Box and Direct Morphing
- DFM Constraints (e.g. Planar, Rigid, Flange, Path Follower)
- Freeze, rigidize, constrain feature-movement during morphing




With Flange Constraint




Without Constraint





































































Record Morphing Actions

Deformation Parameter

- Records any Box or Direct Morphing action
- Get any interpolation / extrapolation between undeformed and deformed shape with a single parameter






Record Morphing Actions

Deformation Parameter

- Records any Box or Direct Morphing action
- Get any interpolation / extrapolation between undeformed and deformed shape with a single parameter






Record Morphing Actions

Deformation Parameter


- Records any Box or Direct Morphing action
- Get any interpolation / extrapolation between undeformed and deformed shape with a single parameter





Taylor Welded Blanks Parameter


Parameterization and Optimization of Taylor Blanks





Taylor Welded Blanks Parameter

Parameterization and Optimization of Taylor Blanks






Mapping of Deformations

- Morph according existing deformation field from:
 - Deformation Parameter


 - History StatesDESVAR of Nastran SOL 200
 - Text file
- E.g. Modify geometry according optimized FE-model





Functionalities assisting Morphing 3D Points and Curves


- Act as initial or target positions for fittings
- Suitable for Box and Direct Morphing
- Obtained from FE mesh or CAD geometry





Functionalities assisting Morphing 3D Points and Curves


- Act as initial or target positions for fittings
- Suitable for Box and Direct Morphing
- Obtained from FE mesh or CAD geometry





Functionalities assisting Morphing Model Browser


- Useful for Box Morphing (esp. complex configurations)
- To organize morph contents





Reconstruct / Smooth morphed mesh


- Suitable for Box and Direct Morphing
- Improve mesh after morphing with large deformations





Reconstruct / Smooth morphed mesh


- Suitable for Box and Direct Morphing
- Improve mesh after morphing with large deformations





Reconstruct / Smooth morphed mesh

- Suitable for Box and Direct Morphing
- Improve mesh after morphing with large deformations






Visualize Morphing Deviations

- Suitable for Box and Direct Morphing
- Measurement Tool
- Fringe Plot of deformed shape











Functionalities assisting Morphing Design Migrate

Re-application of Morph Parameters, Morph Constraints and Optimization Task items on different models















Functionalities assisting Morphing Design Migrate

Re-application of Morph Parameters, Morph Constraints and Optimization Task items on different models















Functionalities assisting Morphing Design Migrate

Re-application of Morph Parameters, Morph Constraints and Optimization Task items on different models














- For parameterization of solver card entries, e.g. thicknesses
- Different types; Expressions









- For parameterization of solver card entries, e.g. thicknesses
- Different types; Expressions






- For parameterization of solver card entries, e.g. thicknesses
- Different types; Expressions
- Import from / Export to *PARAMETER








• For parameterization of composite properties, e.g.:







- For parameterization of composite properties, e.g.:
 - fabric orientation






- For parameterization of composite properties, e.g.:
 - fabric orientation
 - layer thickness









• For parameterization of connection properties, e.g.:









- For parameterization of connection properties, e.g.:
 - distance between weld spots









- For parameterization of connection properties, e.g.:
 - distance between weld spots
 - diameter of weld spots







Ευχαριστώ πολύ



Web: www.beta-cae.com

www.lasso.de

Mail: ansa@lasso.de

